

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5920575".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 07:50
S2	6334	scan adj (path chain)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 15:47
S3	3220	(scan adj (path chain)) and (select selectable programmable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 15:56
S4	0	"714".ccls. and (britt harris).xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 15:49
S5	84	"714"/\$.ccls. and (britt harris).xa.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 15:49
S6	1145	(scan adj (path chain)) same (select selectable programmable)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 15:57
S7	629	(scan adj (path chain)) same (select selectable programmable) and scan.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:02
S8	396306	(select selection selecting selectable selected program programmed programmable) with (path element)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:03
S9	5287	(select selection selecting selectable selected program programmed programmable) with (path element) and scan.ab.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:52
S10	4241	(select selection selecting selectable selected program programmed programmable) with (path element) with scan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:52

S11	4301	(select selection configure configurable re\$1configure re\$1configurable selecting selectable selected program programmed programmable) with (path element) with scan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 17:07
S12	1858	((select selection configure configurable re\$1configure re\$1configurable selecting selectable selected program programmed programmable) with (path element) with scan) and (program software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 17:08
S13	1762	((select selection configure configurable re\$1configure re\$1configurable selecting selectable selected program programmed programmable) with (path element) with scan) and (program software) and (control controller controlling controlled)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 17:08
S14	8	reconfigurable adj scan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 16:57
S15	4353	(select selection configure configurable re\$1configure re\$1configurable selecting selectable selected program programmed bypass programmable) with (path element) with scan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 17:07
S16	1878	((select selection configure configurable re\$1configure re\$1configurable selecting selectable selected program programmed bypass programmable) with (path element) with scan) and (program software)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 17:08
S17	1782	((select selection configure configurable re\$1configure re\$1configurable selecting selectable selected program programmed bypass programmable) with (path element) with scan) and (program software) and (control controller controlling controlled)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 17:48

S18	259	((select selection configure configurable re\$1configure re\$1configurable selecting selectable selected program programmed bypass programmable) with (path element) with scan) and (program software) and (control controller controlling controlled) and "714"/\$.ccls.	USPAT	OR	ON	2004/06/15 17:09
S19	192	((select selection configure configurable re\$1configure re\$1configurable selecting selectable selected program programmed bypass programmable) with (path element) with scan) and (program software) and (control controller controlling controlled) and "714"/\$.ccor.	USPAT	OR	ON	2004/06/15 17:13
S20	802	barbier.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 17:13
S21	26	barbier.in. and lepape.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/15 17:24
S22	10	barbier.in. and lepape.in.	USPAT	OR	ON	2004/06/15 17:24
S23	160	((select selection configure configurable re\$1configure re\$1configurable selecting selectable selected program programmed bypass programmable) with (path element) with scan) and (program software) and (control controller controlling controlled) and (clock adj generat\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 16:26

S24	96	("6211711" "6211711" "6212656" "6212656" "5951702" "6079040" "5392296" "5915084" "5958075" "6035431" "5689517" "5574731" "4780874" "5606565" "5793778" "6266041" "5008618" "4965511" "4586057" "5617427" "5633606" "6114892" "5623503" "4996691" "5193092" "5341096" "6182256" "5502731" "5544173" "5574733" "6092226" "6131173" "4604746" "5254942" "5323400" "5396170" "5504756" "5838693" "5881067" "5886901" "6016564" "6289477" "6256770" "6308291" "6370664" "6380724" "6389567" "6393592" "6463561" "6573703").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 12:00
S25	48	("6211711" "6211711" "6212656" "6212656" "5951702" "6079040" "5392296" "5915084" "5958075" "6035431" "5689517" "5574731" "4780874" "5606565" "5793778" "6266041" "5008618" "4965511" "4586057" "5617427" "5633606" "6114892" "5623503" "4996691" "5193092" "5341096" "6182256" "5502731" "5544173" "5574733" "6092226" "6131173" "4604746" "5254942" "5323400" "5396170" "5504756" "5838693" "5881067" "5886901" "6016564" "6289477" "6256770" "6308291" "6370664" "6380724" "6389567" "6393592" "6463561" "6573703").pn.	USPAT	OR	ON	2004/06/16 12:00
S26	10297	(disable ((switch turn) adj off) deactivate shut\$1down stop halt disconnect) near2 clock\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 15:46
S27	12469	((select selection configure configurable ((disable ((switch turn) adj off) deactivate shut\$1down stop halt disconnect) near2 clock\$3) and (re\$1configure re\$1configurable selecting selectable selected program programmed bypass programmable) with (path element) with scan) and (program software) and (control controller controlling controlled) and (clock adj generat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/16 16:26

S28	37	((disable ((switch turn) adj off) deactivate shut\$1down stop halt disconnect) near2 clock\$3) and (((select selection configure configurable re\$1configure re\$1configurable selecting selectable selected program programmed bypass programmable) with (path element) with scan) and (program software) and (control controller controlling controlled) and (clock adj generat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 10:58
S29	5	reconfigure with (scan adj path)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 16:47
S30	2	"5642363".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 18:41
S31	2042	analyz\$4 with detect\$4 with error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 18:42
S32	72	analyz\$4 with detect\$4 with error with identif\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 18:46
S33	3015	analyz\$4 with detect\$4 with identif\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 18:46
S34	93	(analyz\$4 with detect\$4 with identif\$4) same error	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 18:48
S35	165	(analyz\$4 with identif\$4) same (error with detect\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/06/17 18:49
S37	1564	(program adj controlled) with (unit chip IC)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/01/18 13:31

S38	22	((program adj controlled) with (unit chip IC)) same scan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 10:40
S39	2	"63081552"	JPO; DERWENT	OR	ON	2005/02/07 07:17
S40	2	"5253359".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/07 07:51
S41	23	((program adj controlled) with (unit chip IC)) same scan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 10:41
S42	5183915	Change aj state	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:17
S43	71582	(change adj state)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:18
S44	2275	(change adj state) and "714"/\$.cccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:18
S45	198	(change adj state) and "714"/\$.cccls. and (scan adj (path chain))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 13:19
S46	197	(change adj state) and "714"/\$.cccls. and (scan adj (path chain)) and output	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 18:46
S48	1	"301127" and rajski.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 14:10
S49	53	"301127"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 18:27

S50	2	"4503537".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 18:35
S51	2	"5253359".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/15 18:47
S52	142	(capture same scan) and whetsel. in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/16 19:06
S53	81	(capture same scan) and whetsel. in.	USPAT	OR	ON	2005/07/16 19:06
S54	1262	(program adj control\$4) same scan	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:34
S55	289	((program adj control\$4) same scan) and (output near4 scan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:34
S56	211	((program adj control\$4) same scan) and (output near4 scan) and (error or event)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:35
S57	136	((program adj control\$4) same scan) and (output near4 scan) and (error or event) and clock and control and compar\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/07/21 16:35
S58	12	((program adj control\$4) same scan) and (output near4 scan) and (error or event) and clock and control and compar\$5 and "714"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 10:55
S59	5	"085919"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 10:50
S60	14	((program adj control\$4) same scan) and (output near4 scan) and (error or event) and clock and control and compar\$5 and "714"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 10:55

S61	50	((program near3 control\$4) same scan) and (output near4 scan) and (error or event) and clock and control and compar\$5 and "714"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 10:58
S62	36	((program near3 control\$4) same scan) and (output near4 scan) and (error or event) and clock and control and compar\$5 and "714"/\$. ccls. and interface	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 10:58
S63	41	((disable ((switch turn) adj off) deactivate shut\$1down stop halt disconnect) near2 clock\$3) and (((select selection configure configurable re\$1configure re\$1configurable selecting selectable selected program programmed bypass programmable) with (path element) with scan) and (program software) and (control controller controlling controlled) and (clock adj generat\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 10:59